





AURi
CONTRACTING

The logo for AURi CONTRACTING features the word "AURi" in a bold, dark grey sans-serif font. The letter "i" is replaced by a stylized yellow classical column. Above the column is a yellow crescent moon, and above the moon is a dark grey swoosh. Below "AURi" is a thin horizontal line, and below that, the word "CONTRACTING" is written in a yellow, spaced-out, sans-serif font. The entire logo is centered on a white background with yellow and grey curved accents at the top and bottom.

VENTILADORES AXIALES

CODIGO	AXIAL CON FAJA				MEDIDAS					
	POTENCIA (HP)	CAUDAL (m3/h)	RPM	DIAMETRO	L (mm)	D (mm)	d (mm)	P (mm)	W (Kg)	e (mm)
AURI-Ax-0.5-FT85 AURI-Ax-0.5-FM85	0.5	8500	870	24"	800	640	610	360	25	1
AURI-Ax-0.5-FT105 AURI-Ax-0.5-FM105	0.5	10500	570	28"	901	741	711	360	26	1
AURI-Ax-0.75-FT127 AURI-Ax-0.75-FM127	0.75	12709	570	28"	901	741	711	470	29	1
AURI-Ax-0.75-FT135 AURI-Ax-0.75-FM135	0.75	13500	570	32"	1003	843	813	470	30	1
AURI-Ax-1.0-FT145 AURI-Ax-1.0-FM145	1	14500	570	32"	1003	843	813	590	33	1
AURI-Ax-0.75-FT170 AURI-Ax-0.75-FM170	0.75	17000	550	36"	1104	944	914	470	33	1
AURI-Ax-1.0-FT200 AURI-Ax-1.0-FM200	1	20000	550	36"	1104	944	914	590	35	1
AURI-Ax-1.0-FT250 AURI-Ax-1.0-FM250	1	25000	490	40"	1206	1046	1016	590	36	1
AURI-Ax-1.5-FT300 AURI-Ax-1.5-FM300	1.5	30000	490	40"	1206	1046	1016	490	39	1
AURI-Ax-1.5-FT350 AURI-Ax-1.5-FM350	1.5	35000	520	48"	1459	1259	1219	490	51	1.2
AURI-Ax-2.0-FT400 AURI-Ax-2.0-FM400	2	40000	520	48"	1459	1259	1219	410	57	1.2
AURI-Ax-2.0-FT420 AURI-Ax-2.0-FM420	2	42000	400	54"	1612	1412	1372	410	62	1.2
AURI-Ax-3.0-FT480 AURI-Ax-3.0-FM480	3	48000	400	54"	1612	1412	1372	460	85	1.2
AURI-Ax-4.0-FT580 AURI-Ax-4.0-FM580	4	58000	350	60"	1764	1564	1524	480	91	1.2
AURI-Ax-5.0-FT670 AURI-Ax-5.0-FM670	5	67000	320	70"	2018	1818	1778	760	103	1.2
AURI-Ax-7.5-FT780	7.5	78000	300	80"	2272	2072	2032	570	146	1.2
AURI-Ax-10.0-FT850	10	85000	280	90"	2526	2326	2286	690	176	1.2



Leyenda



VENTILADORES AXIALES

CODIGO	AXIAL CON FAJA				MEDIDAS					
	POTENCIA (HP)	CAUDAL (m3/h)	RPM	DIAMETRO	L (mm)	D (mm)	d (mm)	P (mm)	W (Kg)	e (mm)
AURI-Ax-0.5-FT85 AURI-Ax-0.5-FM85	0.5	8500	870	24"	800	640	610	360	25	1
AURI-Ax-0.5-FT105 AURI-Ax-0.5-FM105	0.5	10500	570	28"	901	741	711	360	26	1
AURI-Ax-0.75-FT127 AURI-Ax-0.75-FM127	0.75	12709	570	28"	901	741	711	470	29	1
AURI-Ax-0.75-FT135 AURI-Ax-0.75-FM135	0.75	13500	570	32"	1003	843	813	470	30	1
AURI-Ax-1.0-FT145 AURI-Ax-1.0-FM145	1	14500	570	32"	1003	843	813	590	33	1
AURI-Ax-0.75-FT170 AURI-Ax-0.75-FM170	0.75	17000	550	36"	1104	944	914	470	33	1
AURI-Ax-1.0-FT200 AURI-Ax-1.0-FM200	1	20000	550	36"	1104	944	914	590	35	1
AURI-Ax-1.0-FT250 AURI-Ax-1.0-FM250	1	25000	490	40"	1206	1046	1016	590	36	1
AURI-Ax-1.5-FT300 AURI-Ax-1.5-FM300	1.5	30000	490	40"	1206	1046	1016	490	39	1
AURI-Ax-1.5-FT350 AURI-Ax-1.5-FM350	1.5	35000	520	48"	1459	1259	1219	490	51	1.2
AURI-Ax-2.0-FT400 AURI-Ax-2.0-FM400	2	40000	520	48"	1459	1259	1219	410	57	1.2
AURI-Ax-2.0-FT420 AURI-Ax-2.0-FM420	2	42000	400	54"	1612	1412	1372	410	62	1.2
AURI-Ax-3.0-FT480 AURI-Ax-3.0-FM480	3	48000	400	54"	1612	1412	1372	460	85	1.2
AURI-Ax-4.0-FT580 AURI-Ax-4.0-FM580	4	58000	350	60"	1764	1564	1524	480	91	1.2
AURI-Ax-5.0-FT670 AURI-Ax-5.0-FM670	5	67000	320	70"	2018	1818	1778	760	103	1.2
AURI-Ax-7.5-FT780	7.5	78000	300	80"	2272	2072	2032	570	146	1.2
AURI-Ax-10.0-FT850	10	85000	280	90"	2526	2326	2286	690	176	1.2

Leyenda



NOTA

- Las medidas (mm) y pesos (kg) son aproximados.
- Todos los motores pueden ser trifásicos, motores monofásicos solo hasta 5 HP.
- Ventiladores con faja pueden variar caudal y rpm.
- Cada ventilador puede ir con un motor diferente de acuerdo al cliente.
- Los motores serán seleccionados según su precio.

ECONÓMICO	CATTINI
MEDIO	DELCROSA - KRAFTMAN
ALTO	WEG - SIEMENS

CONTACTO



Av. Petit Thouars 1775 Interior 1402 - Lince



01 724 6383



977 523 683



comercial@auricontracting.pe



www.auricontracting.pe